Amendment to PUSH-PULL PIPE COUPLING Naris Komolrochanaporn, inventor Serial No. 10/685,360 Filed October 14, 2003 Page 8 of 11

REMARKS/ARGUMENTS

Claims 3, 7, and 8-10 remain in this application.

Claims 1, 2, and 4-6 have been canceled.

Claims 3, 7, and 8-10 have been amended.

The indicating that Claims 9 and 10 contain allowable subject matter has been noted. Both Claims 9 and 10 have now been rewritten in independent form. Therefore, it is now believed that these claims are in condition for formal allowance.

In an effort to decrease the number of issues involved with this application, the claims have been reduced in number with Claims 1, 2, and 4-6 being canceled. Claims 3 and 7 have now been rewritten in independent form with these claims also including additional written in changes.

Claim 3, as it was originally submitted, was rejected under 35 U.S.C. §102(b) as being anticipated by Adams. This rejection is respectfully traversed. Claim 3, as now amended, clearly defines that the grab ring has a cylindrical main body, this cylindrical main body being mounted within the annular concavity. In Adams, the grab ring is defined by the locking members 23 which are embeddingly mounted within a locking ring 9. Within Claim 3 of the present invention, applicant has defined that the grab ring is mounted within an annular concavity of a grab ring housing. The equivalent structure within Adams would be that the biting members 23 are located in conjunction with a cavity formed in the locking ring 9. The equivalent grab ring of Adams does not have a cylindrical main body which is

Amendment to PUSH-PULL PIPE COUPLING

Naris Komolrochanaporn, inventor

Serial No. 10/685,360

Filed October 14, 2003

Page 9 of 11

mounted within an annular concavity as defined within independent Claim 3 of the present

ι,

application. Additionally, Claim 3 defines that this annular concavity has a forward wall

which is located at an acute angle that is less than the acute angle of the biting members

prior to the withdrawing movement of the pipe section. The members 23 of Adams are

always mounted at precisely the same angle of the concavity because it is snugly mounted

within the concavity of Adams. The Examiner's attention is to be called to the fact that the

annular concavity is formed within the grab ring housing with the locking ring 9 of Adams

comprising that grab ring housing not the housing 8 within which the locking ring 9 is

mounted.

Claims 7, was also rejected under 35 U.S.C. §102(b) over the reference to

Adams as well as under 35 U.S.C. §102(b) over the reference to Ceriani. The equivalent

member 4 of Ceriani which comprises the grab ring housing does not have a forward surface

which is beveled. Therefore, it is believed that Claim 7 defines structure different from that

of Ceriani. In addition, the equivalent structure of Adams, which is the locking ring 9, does

not have a forward surface that is annular and beveled and spaced from the grab ring. The

cavity within which the biting members are embedded connect directly with the biting

members and therefore there is no forward surface that is beveled and spaced from the grab

ring.

Claim 8, which depends from Claim 7, has further defined that the forward

surface connects with an annular beveled surface formed on a retaining cap which functions

to close the internal chamber. The flange 18 of Ceriani is defined by the Examiner as being

Amendment to PUSH-PULL PIPE COUPLING

Naris Komolrochanaporn, inventor

Serial No. 10/685,360

Filed October 14, 2003

Page 10 of 11

equivalent to applicant's retaining cap. The inwardly turned flange 18 of Ceriani does not

have an annular beveled surface which closes the internal chamber. As can be readily seen

in Ceriani, there is a gap between flange 18 and member 8 so the internal chamber is not

closed by the flange 18.

Claim 8 has also been rejected over the reference to Adams on the basis that

there is an annular beveled surface defined by end flange 17. Also the end flange 17 of

Adams does not close the internal chamber as it can be clearly seen that there is a gap

(Figure 4) in Adams which would be open to the equivalent of the applicant's internal

chamber.

The applying of the reference to Nakazumi has been noted. However,

Nakazumi is no longer believed to be in issue since Claims 1, 2 and 4-6 have now been

canceled.

The citing of the additional references of record has been noted.

In view of the foregoing amendments to the claims and arguments presented

herein, it is believed that the rewritten Claims 3, 7 and 8 now clearly define allowable subject

matter along with the previously allowed Claims 9 and 10. In view of the foregoing

amendments to the claims and arguments presented herein, it is believed that the claims as

now rewritten clearly define patentable subject matter. It is courteously requested that this

application be reconsidered, such reconsideration being favorable resulting in passing of this

application to issue.

Amendment to PUSH-PULL PIPE COUPLING Naris Komolrochanaporn, inventor Serial No. 10/685,360 Filed October 14, 2003 Page 11 of 11

The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to account No. 13-4899.

Respectfully submitted,

JACK C. MUNRO, Patent Agent

Registration No. 22,979

28720 Roadside Drive - Suite 225

Agoura Hills, CA 91301 phone: (818) 991-1687 fax: (818) 889-0116